

## Cisco TelePresence Manager 1.5

### **Simplifying the Experience: Scheduling and Management for Cisco TelePresence® Meetings**

The Cisco TelePresence meeting solution combines audio, video, and interactive elements to create the feeling of being “in person” with participants in remote locations. Key to this experience is Cisco TelePresence Manager, which makes it easy to set up and launch calls. The Cisco TelePresence Manager software application enables this simplicity by intelligently automating many scheduling and conferencing tasks, so users can focus on the meeting, not the technology, and communicate as naturally and effectively as they would face to face.


Administrators can use Cisco TelePresence Manager to monitor meetings and get reports on meetings and system usage. The application also helps IT managers by offering data to justify the investment and reduce total cost of ownership (TCO) by integrating with existing infrastructure.

### **Product Overview**

Cisco TelePresence Manager is essential for delivering the full value of a Cisco TelePresence meeting solution. It collects information about Cisco TelePresence systems from Cisco Unified Communications Manager and associates those systems to their physical location as defined in Microsoft Active Directory and enterprise groupware. It also automatically collects information about multipoint capabilities, and allocates those resources when needed, allowing you to schedule both point-to-point and multipoint Cisco TelePresence meetings from your Microsoft Outlook or IBM Notes calendar. That schedule is automatically sent to the Cisco TelePresence systems involved in the call. You can launch your Cisco TelePresence meeting with the push of a button, by simply selecting your meeting from the list of meetings shown on the Cisco Unified IP Phone in the meeting room.

### **Applications**

The Cisco TelePresence meeting solution is useful for large group meetings as well as small groups or one-on-one conversations. By integrating with both enterprise groupware and Cisco Unified Communications Manager, Cisco TelePresence Manager delivers ease of use, both in scheduling and in launching calls with just the push of a button on the phone (Figure 1).

**Figure 1.** Cisco TelePresence Manager

## Features and Benefits

Cisco TelePresence Manager offers the following key features and benefits:


- **Web-based user interface:** The user interface provides easy administration without a desktop-loaded client. Simple views allow you to monitor Cisco TelePresence rooms, scheduled meetings, and system-level information.
- **Easy scheduling:** You can schedule meetings using your enterprise groupware (Microsoft Outlook or IBM Notes) and have that meeting posted to the display of the Cisco Unified IP Phone 7970G in the meeting room, minimizing user training and support.
- **“One button to push” to launch calls:** You select your scheduled call, whether point-to-point or multipoint, from the display on the phone in the meeting room to launch calls (Figure 2).

**Figure 2.** Meetings Posted on Cisco Unified IP Phone 7970G Display for One-Button-to-Push Call Launch

- **Enterprise groupware compatibility:** Cisco TelePresence Manager synchronizes with Microsoft Exchange and IBM Domino to collect information for Cisco TelePresence meetings.

- Multipoint support and resource allocation: Cisco TelePresence Manager, when used in conjunction with the Cisco TelePresence Multipoint Switch, automatically schedules the necessary multipoint resources to support the scheduled request.
- Intelligent multipoint selection: Cisco TelePresence Manager searches through all the available Cisco TelePresence Multipoint Switches and selects the one that will provide the best TelePresence experience for you based on your geographical location.
- Automatic schedule synchronization: Cisco TelePresence Manager automatically synchronizes all meetings when new TelePresence rooms come online. It also resynchronizes with groupware whenever it loses connectivity because of a network or hardware problem.
- Intercompany scheduling: Cisco TelePresence Manager provides process to schedule intercompany meetings using your existing groupware integration for one-button-to-push call launch.
- Transparent scheduling interface: Cisco TelePresence Manager requires no client software or plug-ins in order to schedule and automatically launch calls. Instead it acts as a room-scheduling proxy and receives and processes all meeting invitations sent and received in Cisco TelePresence rooms (Figure 3).

**Figure 3.** Schedule TelePresence Meeting as You Schedule Any Other Meeting.



- Conference correction process: Cisco TelePresence Manager supports an automated email notification process to get clarification if any is needed to launch the call or to confirm the TelePresence meeting. A link is provided to log into the Cisco TelePresence Manager web interface to update information.
- Device discovery: Cisco TelePresence Manager connects with Cisco Unified Communications Manager to discover information about the Cisco TelePresence systems installed. This information includes device name, MAC address, IP address, directory number, room name, and IP phone associated with the Cisco TelePresence system. Cisco TelePresence Manager also receives the current registration state of both the Cisco TelePresence endpoint and its associated IP phone for diagnostics.

- Reporting: Cisco TelePresence Manager provides a view of scheduled meetings by date, status, room, and scheduler. It also allows exporting of TelePresence data from the administrative interface for easy return-on-investment (ROI) reporting.
- Modular architecture: Cisco TelePresence Manager simplifies future extensions and support for additional devices and other groupware scheduling applications.
- Investment protection: Cisco TelePresence Manager uses existing network and communications infrastructure for a faster ROI.

## Product Architecture

Cisco TelePresence Manager uses the same platform infrastructure as Cisco Unified Communications Manager, following its appliance model principles. Its administrative user interface is a single software entity that provides access to a web-based GUI for initial setup and installation. Information retrieval takes place through standard interfaces such as XML, Simple Object Access Protocol (SOAP), computer telephony integration (CTI), and Web-based Distributed Authoring and Versioning (WebDAV).

Cisco TelePresence Manager 1.5 is a software application loaded on a Cisco MCS 7845 Media Convergence Server and run as a standalone application. It cannot be deployed co-resident with any other Cisco application on that hardware.

## Product Specifications

Table 1 gives specifications and Table 2 gives system requirements of the Cisco TelePresence Manager.

**Table 1.** Product Specifications

Specifications	Description
<b>Product compatibility</b>	Cisco MCS 7845-H2 and MCS 7845-I2 Media Convergence Servers
<b>Software compatibility</b>	Microsoft Internet Explorer 6.0
<b>Protocols</b>	HTTP, HTTPS, Administrative XML (AXL)/SOAP, Simple Network Management Protocol (SNMP), and CTI
<b>Connectivity</b>	IP
<b>Reliability and availability</b>	High availability through Cisco 7835 Media Convergence Server platform

**Table 2.** System Requirements

Specifications	Description
<b>Groupware connectivity</b>	<ul style="list-style-type: none"> <li>• Microsoft Exchange Server: 2003 (Windows Server 2003 Enterprise Edition) and 2007 (on Windows 2003 Enterprise Edition SP2 [64 bit])</li> <li>• Microsoft Outlook Client: 2003 and 2007</li> <li>• IBM Domino Server: 8.0 and 7.0.0 (Windows Server 2003 Enterprise Edition)</li> <li>• IBM Notes Client: 8.0, 7.0.0, and 6.5.0</li> </ul>
<b>Cisco Unified Communications Manager version</b>	CUCM 6.1.3 or later
<b>Lightweight Directory Access Protocol (LDAP) connectivity</b>	Active Directory 2003, running on Windows 2003 Server
<b>Web browser supported</b>	Microsoft Internet Explorer 6.0

## Ordering Information

To place an order, visit the [Cisco Ordering Home Page](#) and refer to Table 3.

**Table 3.** Ordering Information

Product Name	Part Number
Cisco TelePresence Manager 1.5	CTS-MAN1.5
<b>One Cisco media convergence server is required per Cisco TelePresence Manager implementation</b>	
Cisco MCS 7845-H2 Media Convergence Server	MCS-7845-H2-CTS2
Cisco MCS 7845-I2 Media Convergence Server	MCS-7845-I2-CTS2
<b>One integration is required per Cisco TelePresence Manager Implementation</b>	
Cisco TelePresence Manager Integration for MS Exchange	LIC-CTS-MAN-MS
Cisco TelePresence Manager Integration for IBM Domino	LIC-CTS-MAN-IBM
<b>License required. Based on number of Cisco TelePresence systems under management.</b>	
Cisco TelePresence Manager Device License: 50 units	LIC-CTS-MAN-50
Cisco TelePresence Manager Device License:100 units	LIC-CTS-MAN-100

## Service and Support

Critical to delivering the innovative Cisco TelePresence experience in your organization are integrated lifecycle services. Designed specifically for multisite organizations, these services deliver the Cisco TelePresence experience and accelerate the successful deployment of a high-quality, reliable “in-person” meeting experience. Initial prepare, plan, and design services prepare your network and organization to deliver the expected consistent quality level of the Cisco TelePresence meeting solution. Operate services provide peace of mind for your IT staff and reduce risk of downtime by providing critical day-two maintenance support, remote monitoring and management, and remote-assistance service. These services use the proven Cisco Lifecycle Services approach to deliver on a Cisco TelePresence experience certified solution. For more information, please visit: <http://www.cisco.com/go/services>.

## For More Information

For more information about the Cisco TelePresence Manager, visit <http://www.cisco.com/go/telepresence> or contact your local Cisco account representative or authorized Cisco Authorized Technology Provider (ATP) partner.



**Americas Headquarters**  
Cisco Systems, Inc.  
San Jose, CA

**Asia Pacific Headquarters**  
Cisco Systems (USA) Pte. Ltd.  
Singapore

**Europe Headquarters**  
Cisco Systems International BV  
Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

CCDE, CCENT, Cisco Eos, Cisco HealthPresence, the Cisco logo, Cisco Lumin, Cisco Nexus, Cisco StadiumVision, Cisco TelePresence, Cisco WebEx, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0812R)